



To be world' s top-tier shelving and ladder supplier.

Hand Truck Manufacturing Expert

ABC TOOLS MFG. CORP.



ABC TOOLS MFG.CORP.

info@abctoolsmfg.com

www.abctoolsmfg.com

+86 532 8818 6388

+86 532 8610 7588

2023.03 版次

Company Profile

ABC TOOLS MFG. CORP. was established in Qingdao, China in 2006. We currently have three factories and a total plant area reaching 35,000 square meters.

Over 300 employees and 37 production lines provide assurance for on-time delivery. Our business team is made up of twenty staff members to always provide first-class customer service.

The Inspection team tests and inspects each order before delivery.

R&D teams will solve all technical and design challenges for our customers.

With the efforts of the whole company, our production capacity was over 2,500,000 units in 2021.

As of now we are ISO9001 BSCI and Wal-Mart factory audit compliant.

Through our diligent attention to quality, design, and efficiency, we can assist our customers in capturing their desired market.

Vision: To be world's top-tier shelving and ladder supplier.

Mission: Value creation for clients and facilitate employee talent realization.

Value: Sincerity Happiness Innovation Prudence.

ABOUT ABC

Supply Capacity

Our hand truck has been sold more than over 200,000 sets each year.

Advanced Production Technology

Our company is located in the Chinese hand truck production base Qingdao. Research and development have inherent advantages. Automatic pipe bender and welding robot are used in the hand truck production to assure accuracy and the meantime adequate capacity.





HT1561

Steel Flow Back Handle Hand Truck

300 LBS. Load Capacity **136** KGS. Load Capacity



Overall size(HxWxD)	39-1/2" x 18" x 14"
Toe plate(WxD)	14" x 7" Steel
Material	Steel & Rubber
N.W.	14 lbs.
Wheel	8" x 1 - 3/4" solid rubber wheel

HT2402

Steel P-Handle Hand Truck

800 LBS. Load Capacity **363** KGS. Load Capacity



- 1** P handle for easy pulling.
- 2** Solid rubber tires for flat ground, not easy to blast, easy to push.


Overall size(HxWxD)	52" x 22" x 23"
Toe plate(WxD)	14" x 9" Steel
Material	Steel & Rubber
N.W.	32 lbs.
Wheel	13" x 4" pneumatic wheel



HT1805

Steel P-Handle Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



- 1** 10"x 3 - 1/2 diameter solid rubber tires provide smooth rolling.
- 2** Tubular steel frame with a matte powder coat finish to resist rust.

Overall size(HxWxD)	52" x 21-1/2" x 18"
Toe plate(WxD)	14" x 9" Steel
Material	Steel & Rubber
N.W.	22 lbs.
Wheel	10" x 3-1/2" pneumatic wheel



HT1546

Steel Dual Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



- 1** Two pneumatic wheels with steel rim make the transport process steady and fast.
- 2** Non-slip handrails.

Overall size(HxWxD)	46 - 1/2" x 18 - 1/2" x 14"
Toe plate(WxD)	14" x 9" Steel
Material	Steel & Rubber
N.W.	21 lbs.
Wheel	10" pneumatic wheel





HT1842

Steel Convertible Hand Truck

600 LBS. Vertical Capacity **800** LBS. Horizontal Capacity



Overall size(HxWxD)	50" to 58" x 21-1/2" x 18"
Toe plate(WxD)	14" x 9" Steel
Material	Steel & Rubber
N.W.	31 lbs.
Wheel	10" x 3-1/2" pneumatic wheel



HT1565

Steel Flow Back Handle Hand Truck

200 LBS. Load Capacity **90** KGS. Load Capacity

Overall size(HxWxD)	44" x 18" x 15"
Toe plate(WxD)	14" x 7" Steel
Material	Steel & Rubber
N.W.	19 lbs.
Wheel	8" x 1 - 3/4" solid rubber wheel



HT2502

Steel Dual Handle Hand Truck

550 LBS. Load Capacity **250** KGS. Load Capacity

Overall size(HxWxD)	46-3/5" x 19-1/5" x 20-2/5"
Material	Steel
Toe plate(WxD)	300 x 200mm
Wheel Type	3" pneumatic wheel



HT1545

Steel Dual Hand Truck

400 LBS. Load Capacity **181** KGS. Load Capacity

Overall size(HxWxD)	46 - 1/2" x 18 - 1/2" x 14"
Toe plate(WxD)	14" x 9" Steel
Material	Steel & Rubber
N.W.	21 lbs.
Wheel	8" x 2" solid rubber wheel



HT1862

Aluminum D-Handle Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



1 The frame and nose plate of the trolley are made of aluminum, not only lighter in weight but also corrosion-resistant.

Overall size(HxWxD)	52" x 20 - 1/2" x 18 - 1/2"
Toe plate(WxD)	18" x 7 - 1/2" aluminum
Material	Aluminum & Rubber
N.W.	20 lbs.
Wheel	10" pneumatic wheel

HT9916

Aluminum Flow Back Handle Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



Overall size(HxWxD)	50" x 20 - 1/2" x 18 - 1/2"
Toe plate(WxD)	18" x 7 - 1/2" aluminum
Material	Aluminum & Rubber
N.W.	20 lbs.
Wheel	10" pneumatic wheel

HT1864

Convertible Aluminum Platform/Hand Truck

Two carts in one: Platform Truck & 2-wheel Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



Overall size(HxWxD)	20-9/10" x 20-1/2" x 60-1/5"
Toe plate(LxW)	10-1/4" x 18" Steel
Material	Aluminum & Rubber
N.W.	22-2/5 lbs.
Wheel	10" pneumatic wheel

HT9916LW

Aluminum Flow Back Handle Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



1 Solid structure



2 Pneumatic wheels- make the transport process steady and fast.



Overall size(HxWxD)	54" x 20 - 1/2" x 18 - 1/2"
Toe plate(WxD)	18" x 7 - 1/2" aluminum
Material	Aluminum & Rubber
N.W.	24 lbs.
Wheel	10" pneumatic wheel



HT7A


Convertible Aluminum Platform/Hand Truck

Two carts in one: Platform Truck & 2-wheel Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



1 The handle can be adjusted according to horizontal or vertical.



Overall size(HxWxD)	41" x 20 - 1/2" x 44"
Folded size(WxD)	52" x 20 - 1/2" x 18 - 1/2"
Toe plate(WxD)	18" x 7 - 1/2" aluminum
Material	Aluminum & Rubber
N.W.	42 lbs.
Wheel	10" pneumatic wheel, 5" PU wheel



HT9913

Aluminum Dual Handle Hand Truck

600 LBS. Load Capacity **272** KGS. Load Capacity



Overall size(HxWxD)	60" x 20 - 1/2" x 18 - 1/2"
Toe plate(WxD)	18" x 7 - 1/2" aluminum
Material	Aluminum & Rubber
N.W.	21 lbs.
Wheel	10" pneumatic wheel



HT7A-2N

Convertible Aluminum Platform/Hand/Tilt Truck

Three truck in one: Platform Truck & 2-wheel Hand Truck & 4-Wheel Tilted Truck

600 LBS. Load Capacity **272** KGS. Load Capacity




Material	Aluminum & Rubber
N.W.	34 lbs.
Wheel	10" pneumatic wheel, 5" PU wheel
Overall size 90° (HxWxD)	39" x 20 - 1/2" x 54"
Overall size 45° (HxWxD)	38" x 20 - 1/2" x 60"
Folded size (HxWxD)	52" x 20 - 1/2" x 18"
Toe plate(WxD)	18" x 7 - 1/2" aluminum



HT1557B

Heavy Duty Appliance Truck

700 LBS. Load Capacity **317** KGS. Load Capacity



1 Load belt and protective pads secure the loaded appliances.
2 Dual ratcheting system offers enhanced safety.

Overall size(HxWxD)	60" x 24" x 11-1/2"
Toe plate(WxD)	24" x 5" steel
Material	Steel & Rubber
N.W.	40 lbs.
Wheel	6" x 2" solid rubber wheel

GW3820-GR

Steel Crate Wagon

1000 LBS. Load Capacity **450** KGS. Load Capacity




Body size(HxWxD)	330 x 507 x 963mm	13" x 20" x 38"
Material	Frame is 19 x 1.2mm steel with painting surface, other parts are plastic.	
Wheel	Four 10" x 3.5" pneumatic rubber tires	

GC-02

Garden courtyard cart

176 LBS. Load Capacity **80** KGS. Load Capacity



Overall size(HxWxD)	640 x 510 x 835mm	25-1/4" x 20" x 33"
Material	Steel	
N.W.	14kgs	30.8lbs
Wheel	PU	

Garden Wagon

Garden Cart With Four Wheels

400 LBS. Load Capacity **180** KGS. Load Capacity



Body size(HxWxD)	920 x 510 x 940mm	36" x 20-1/2" x 37"
Material	Powder-Coated Steel	
N.W.	17kgs	37.4lbs
Wheel	Four 10" x 3.5" pneumatic rubber tires	

TC2430

Lawn and Garden Spreader

44 LBS. Load Capacity **20** KGS. Load Capacity




Overall size(HxWxD)	740 x 480 x 385mm	29" x 19" x 15"
Material	Frame is 19 x 1.2mm steel with painting surface, other parts are plastic.	
N.W.	6.5kgs	14.5 lbs
Wheel	8" x 2.50 - 4	



LV150

Aluminum Folding Platform Hand Truck

400 LBS. Load Capacity **182** KGS. Load Capacity



- Swivel casters have the ability to rotate 360 degrees.
- Rubber bumpers on corners.
- Rubber foam sleeve on handle.
- Surface is textured to prevent the items from slipping.

Overall size(HxWxD)	800 x 470 x 750mm	31.5" x 18 - 1/2" x 29-1/2"
Folded size(HxWxD)	254 x 470 x 760mm	10" x 18 - 1/2" x 30"
Material	Aluminum & Steel & Plastic, Rubber	
N.W.	10.5kgs	23 lbs
Wheel	4" TPR Caster	

STEEL FOLDING PLATFORM CARTS



- Steel platform truck folds and opens in seconds.
- Tubing and platform made of tough steel for added durability.
- Strong, rigid, steel handle for secure maneuvering of loads.
- 4 ball bearing wheels for easy and safe steering.
- Compact design for easy storage.

Item	Capacity	Weight	Dimensions(HxWxD)	Base Plate	Wheels	Material
SXTWD-PC527	150kg	7kg	810 x 470 x 730mm	620 x 470mm	100mm	Steel
	330lbs	15.4lbs	32" x 18-1/2" x 28-3/4"	24-2/5" x 18-1/2"	3-9/10"	
SXTWD-PC528	300kg	14.5kg	870 x 610 x 910mm	790 x 610mm	125mm	Steel
	661lbs	32lbs	34-1/4" x 24" x 36"	31" x 24"	4-9/10"	

STEEL FOLDING PLATFORM CARTS



330 LBS. Load Capacity **150** KGS. Load Capacity



- Swivel casters have the ability to rotate 360 degrees.
- Surface is textured to prevent the items from slipping.

Overall size(HxWxD)	810 x 470 x 725mm	32" x 18-1/2" x 28-1/2"
Folded size(HxWxD)	254 x 470 x 760mm	10" x 18 - 1/2" x 30"
Material	Aluminum & Steel & Plastic, Rubber	
N.W.	10.5kgs	23 lbs
Wheel	4" TPR Caster	

COMMERCIAL FOLDING PLATFORM CARTS



- 4-wheeled professional platform truck, folds and opens in seconds.
- Robust design made of lightweight and durable PP.
- Strong steel rigid handle for secure maneuvering of loads.
- Built for commercial warehouses, retail stores, delivery services and professional movers.

Item	Capacity	Weight	Dimensions(HxWxD)	Base Plate	Wheels	Material
SXWTC-PC508	150kg	8.5kg	930 x 470 x 740mm	740 x 470mm	100mm	Steel
	330lbs	18.7lbs	36-3/5" x 18-1/2" x 29"	29" x 18-1/2"	3-9/10"	
SXWTC-PC509	250kg	13.7kg	940 x 610 x 900mm	900 x 610mm	130mm	Steel
	551lbs	30.2lbs	37" x 24" x 35-1/2"	35-1/2" x 24"	5-1/10"	



FW0406

"O" Type Retractable Handle

154 LBS. Load Capacity **70** KGS. Load Capacity



Overall size(HxWxD)	1280 x 510 x 955mm	50-2/5" x 20" x 37-3/5"
Folded size(H ₁ x W ₁ x D ₁)	310 x 190 x 750 mm	12-1/5" x 7-1/2" x 29-1/2"
Material	Steel frame + 600D Oxford cloth with PVC coating	
N.W.	11.5kgs	25.3lbs
Wheel	7" x 1-3/4" (180mm x 35mm) PVC	

FW0404

"T" Type Retractable Handle

154 LBS. Load Capacity **70** KGS. Load Capacity



Overall size(HxWxD)	1035 x 565 x 935mm	40-7/10" x 22-1/5" x 36-4/5"
Folded size(H ₁ x W ₁ x D ₁)	350 x 245 x 745 mm	13-7/10" x 9-3/5" x 29-3/10"
Material	Steel frame + 600D Oxford cloth with PVC coating	
Wheel	7" x 4" (180mm x 100mm) PU	

FW0201

Retractable Handle

176 LBS. Load Capacity **80** KGS. Load Capacity



Overall size(HxWxD)	1005 x 545 x 1030mm	39-1/2" x 21-2/5" x 40-1/2"
Folded size(H ₁ x W ₁ x D ₁)	530 x 190 x 755mm	20-4/5" x 7-1/2" x 29-7/10"
Material	Steel frame + 600D Oxford cloth with PVC coating	
N.W.	10kgs	22lbs
Wheel	8" x 1.75" (200 x 35mm) PVC	



FW0204

Retractable Handle

154 LBS. Load Capacity **70** KGS. Load Capacity



Overall size(HxWxD)	1260 x 640 x 1020mm	49-3/5" x 25-1/10" x 40-1/10"
Folded size(H ₁ x W ₁ x D ₁)	640 x 170 x 750 mm	25-1/10" x 6-3/5" x 29-1/2"
Material	Steel frame + 600D Oxford cloth with PVC coating	
Wheel	7" x 4" (180mm x 100mm) PU	



C1714S3

3 Tier Mobile Cart

99 LBS. Load Capacity **45** KGS. Load Capacity



1 Swivel casters with brakes provide smooth and quiet rolling.



2 Mesh design on each basket bottom for drainage and ventilation.

Overall size(HxWxD)	880 x 430 x 360mm	34-3/5" x 17" x 14-1/5"
Material	Stee & epoxy / polyester powder coating	
N.W.	4.7 kgs	10.3lbs
Wheel	2 inches PP wheel with 2 brake	
Thickness	0.4mm & 0.5mm	
Tube	22mm x 0.7mm & 22 x 0.5mm	



FC1711

Folding 3 Tier Mobile Cart

99 LBS. Load Capacity **45** KGS. Load Capacity



Overall size(HxWxD)	770 x 450 x 295mm	30-3/10" x 17-7/10" x 11-3/5"
Material	Carbon steel	
N.W.	4.5 kgs	9.9lbs
Wheel	2 inches PP wheel with 2 brake	
Thickness	0.4mm & 0.5mm	